

CARIMALI
design water_space

2.0

Finiture
Finishes



MODERN

CATEGORY	SPZ	NKLU	STN	NKSP	NKSPOP CRSP	NEOP BIOP	CRNE	OROS	BRD - PTQ PBL - VBL*
1	NO	20%	30%	40%	45%	40%	90%	55%	45%
2	NO	20%	30%	40%	45%	40%	80%	80%	45%
3	NO	20%	30%	40%	45%	40%	90%	105%	45%
4	NO	20%	30%	40%	45%	40%	95%	120%	45%
5	NO	20%	30%	45%	50%	45%	80%	110%	50%
6	NO	20%	30%	40%	45%	40%	95%	125%	45%
7	NO	20%	30%	40%	45%	40%	55%	80%	45%
8	NO	20%	30%	40%	45%	40%	110%	155%	45%
9	NO	20%	30%	40%	45%	40%	30%	60%	45%
10	NO	20%	30%	40%	45%	40%	55%	65%	45%
11	NO	30%	60%	110%	120%	75%	135%	95%	80%
12	NO	10%	20%	55%	60%	50%	70%	75%	55%
13	NO	30%	60%	100%	120%	90%	180%	180%	95%
14	25%	NO	NO	NO	NO	NO	NO	NO	NO

*Disponibili altri colori RAL su richiesta: maggiorazione BRD/PTQ/PBL/VBL + un extra costo di 150,00 EURO per ogni set bagno completo.

*Other RAL colours available on request: surcharge BRD/PTQ/PBL/VBL + additional cost of EUR 150,00 for each complete bathroom set.

CLASSIC

CATEGORY	VO - VOM - VOS - VR	VOOP - VOMOP - VOSOP	ORO 24K - ORIGI	ORSP	GL	DBM
1	45%	50%	40%	50%	NO	60%
2	45%	50%	55%	65%	NO	75%
3	45%	50%	70%	80%	20%	90%
4	45%	50%	90%	100%	NO	110%
5	45%	50%	65%	75%	NO	85%
6	45%	50%	80%	85%	NO	95%
7	45%	50%	55%	60%	NO	70%
8	45%	50%	100%	110%	NO	120%
9	45%	50%	45%	50%	NO	60%
10	110%	120%	75%	85%	NO	95%
11	55%	60%	55%	65%	NO	75%
12	100%	120%	100%	150%	NO	160%

PVD

CATEGORY	POLISH PVD						BRUSHED PVD						MATT PVD		
	CB - RG - GLD - CHM - PLS - GM - BM						CBB - RGB - GLDB - CHMB - PLSB - GMB - BMB						CBM - CHMM - GMM		
1	100%						110%						120%		
2	140%						150%						170%		
3	115%						140%						185%		
4	80%						90%						100%		
5	110%						120%						130%		
6	155%						165%						175%		
7	70%						80%						90%		
8	110%						130%						160%		
9	50%						70%						80%		
10	180%						270%						280%		
11	180%						200%						220%		

MODERN



CLASSIC



PVD



PVD BRUSHED



PVD MATT





CARIMALI
design water_space

2.0

CARIMALI

design water_space

Calflex

1985 Calflex was founded in 1985 producing tapware items, such as accessories and hoses. A few years later, the company's professionalism, reliability and the quality of the products enabled Calflex to build business partnerships abroad by acquiring an international clientele. The company responds and fully satisfies the needs of the most demanding clients by innovating and designing new products that have established themselves to the point of becoming real market trends.

CARIMALI

2014 Calflex focuses on a new corporate philosophy, inspired by the feelings of well-being that each of us wants to experience on a daily basis, and on providing complete and functional designer bathrooms.

With the launch of CARIMALI brand, which incorporates modern design and Made in Italy, the company represents the evolution of the bathroom as an intimate environment where inner being and creativity can be expressed with complete and customisable wellness solutions.

Calflex's mission is to improve quality of life and psychophysical well-being through the creation of design products, without sacrificing functionality and ease of use.

The quest for beauty and simplicity come together in a concept of home spa, elevating the bathroom to an intimate place of personal well-being.



Wellness

Design

Functionality

Practicality



Home Wellness SPA

Made in Italy

Product **design** is for CARIMALI design water_space an essential aspect. From the Calflex tradition, lines and shapes are strongly characterised by Italian style and taste. A modern and minimalist design that is always contemporary.

The company continues to invest in **R&D** and in innovative solutions for design, structure and technology to be able to provide exclusive and unique products at an international level. The company know-how is guarded by the in-house technical department, beating heart of company creativity.

Each item is conceived, designed and developed at the Calflex headquarter on the shores of **Lake Orta**. All materials and manufacturing processes are checked in-house. All products are **certified 100% Made in Italy**.



Eco-friendly

The company pays the utmost attention to the reduction of environmental impact both in the design phases and throughout the entire production cycle. The Suntech STP 200 photovoltaic system enables Calflex to produce up to 90,000 kW per year of green energy, more than 80% of its total requirements, and a project of an innovative trigeneration plant underlines the company's commitment to this sector.

When designing, the focus is on the circular economy model in which everything is designed to regenerate value, preventing the production of waste.

The aim is to extend the life of products by ensuring maximum durability and repair. Calflex pays special attention to the environment and water saving throughout the entire range and, in particular, for the new MySlim and OttoMillimetrl shower head collections. A technological innovation inside the shower head reduces the flow rate at the inlet of the shower head and distributes the water evenly over the entire surface of the anti-limescale filter, thus ensuring higher performance with lower water consumption.

Assistance

Calflex's commercial and technical staff is at customer's complete disposal and provides assistance at all stages of the purchasing process. Shipments and orders are handled with the utmost care and attention to different needs, for complete and full customer satisfaction.

Continuous after-sales support. The products are designed to allow the replacement of every single component easily and quickly. Given the reliability of the products, the company guarantees its articles for up to 5 years from proven purchase by the end customer, except for parts subject to particular wear and tear.

Quality


The company has always given priority to the care of materials and pays attention to even the smallest detail. To safeguard quality, 95% of the Calflex range is produced in-house, which includes a high performance galvanic plant.

Calflex relies on a production chain composed of highly specialised suppliers at "zero kilometre". The short-range system, typical of Made in Italy, is structured according to a sustainable development model in order to achieve a low environmental impact. This production process also allows the company constant monitoring of processes and quality, and ensures that both traceability and production sustainability are at the forefront of operations.

Thanks to targeted investments in proprietary moulds, the company is able to offer different price solutions with mixer, shower heads and shower accessories in different materials and finishes, without ever sacrificing aesthetics.

The use of chromium-plated steel, an internal galvanic treatment, guarantees further protection and durability of the products and well highlights the company's commitment to investing in new production technologies that are essential to guarantee the high quality standards that only a Made in Italy handcrafted product can claim. Great importance is also placed on the technical quality of the products, which are supplied as much as possible pre-assembled - high technical standards for fast installation and easy replacement of all components.

TECNOLOGIES



ANTI-LIMING

Anti-liming technology featuring flexible, limescale-resistant certified silicone nozzles for easy removal of limescale build-up.

ECO


WATER SAVING

Flow reducer integrated into the shower head structure for optimised water savings, even on shower heads of large dimensions.



EASY INSTALLATION

Pre-assembled products characterized by kits and technical solutions aiming at simplifying their installation.



EASY MAINTENANCE

The inspectionability of the products simplifies cleaning and maintenance operations and any replacement of spare parts that are always available.




HI-TECH CONNECTION

Wellness devices with integrated Bluetooth connection system for control and management via the customer's own Bluetooth devices.



WATER STOP SYSTEM

Water flow safety stop system.



SAFE AND SECURE INSTALLATION

Protective cover for the safe installation of concealed mixers with an indication of the maximum and minimum concealed depth measurements. Moreover, the cover avoids that deposits, impurities or concrete penetrate the concealed part.

LEGENDS



RAIN JET



SOFT JET



WATERFALL JET



TROPICAL WATERFALL



LATERAL JETS



SHOWER



LATERAL ATOMIZER



ATOMIZER ON SHOWER HEAD



KNEIPP



PERIMETRAL RAIN JET



CENTRAL RAIN JET



SPOUT



CENTRAL JET



LATERAL JET



RAIN JET + CENTRAL JET



WHIRLPOOL JET



LATERAL JET + WHIRLPOOL JET



RAIN JET + WHIRLPOOL JET



CENTRAL RAIN JET + WHIRLPOOL JET



SHOWER SOFT JET



RAIN JET + SHOWER SOFT JET



WHIRLPOOL LATERAL JET




WATERFALL JET FOR HAND SHOWER

LEGENDS



INSPECTABLE AND SERVICEABLE WATERFALL



ADJUSTABLE WATERFALL




INSPECTABLE AND SERVICEABLE BODY-JET



INSPECTABLE AND SERVICEABLE ATOMIZER



INSPECTIONABILITY



ANTI-LIMING




DOUBLE ADJUSTMENT on both wall holders




AROMATHERAPY




MY CALFLEX MUSIC




TURNING SHOWER COLUMN with adjustable mounting and articulated shower holder



TURNING TELESCOPIC SHOWER COLUMN with adjustable mounting and articulated shower holder




TURNING SLIDING BAR



TURNING SHOWER ARM




DOUBLE ANTI-TORSION




5 JETS INSPECTABLE AND SERVICEABLE SYSTEM




DRIP-LESS SYSTEM



CHROMOTHERAPY



WHITE LIGHT



NET PRICE Net price available for the article. Special commercial conditions available.





Concealed Shower Heads



NEW
MYDREAM

Rain jet

Mist

Blade-jet waterfall

Tropical waterfall

MYDREAM

MyDream shower head, in the IlQuadro, IlTondo and Colonial collections, is Carimali's product par excellence: an element that embodies its values and represents its way of conceiving the shower space. With MyDream shower heads, the

bathroom becomes a place of pleasure and relaxation, a place where you can nourish your psychophysical well-being and rediscover your intimacy. The range proposes different styles to satisfy every need and complete every type of environment.

Concealed Shower Heads

Concealed Shower Heads



Concealed Shower Heads

NEW MYDREAM

304 MULTIFUNCTION

MYDREAM QUADRO

308 MULTIFUNCTION

317 SINGLE-FUNCTION

MYDREAM TONDO

320 MULTIFUNCTION

322 SINGLE-FUNCTION

MYDREAM COLONIAL

324 MULTIFUNCTION

329 SINGLE-FUNCTION

CEILING-MOUNTED SHOWER HEADS WITH KIT

355 MYSLIM QUADRO

344 MYSLIM TONDO

358 OTTOMILLIMETRI QUADRO

347 OTTOMILLIMETRI TONDO

NEW MYDREAM

MULTIFUNCTION

from page 304



700 x 500 550 x 500 600 x 300 450 x 300

MYDREAM QUADRO

MULTIFUNCTION

from page 308



700 x 500 550 x 500 600 x 300 450 x 300 560 x 280



500 x 300 610 x 610 490 x 490 340 x 340

SINGLE-FUNCTION

from page 317



690 x 280 500 x 300 455 x 455 410 x 410 320 x 320 240 x 240

MYDREAM TONDO

MULTIFUNCTION

from page 320



Ø 500 Ø 340

SINGLE-FUNCTION

from page 322



Ø 560 Ø 340 Ø 300

MYDREAM COLONIAL

MULTIFUNCTION

from page 324



700 x 500 550 x 500 700 x 400 500 x 400 400 x 300

SINGLE-FUNCTION

from page 329



550x550 410 x 410

MYSLIM QUADRO

SINGLE-FUNCTION

from page 355



MYSLIM TONDO

SINGLE-FUNCTION


from page 344



OTTOMILLIMETRI QUADRO

SINGLE-FUNCTION


from page 358



OTTOMILLIMETRI TONDO

SINGLE-FUNCTION

from page 347




FALSE CEILING SHOWER HEAD INSTALLATION KIT

Kit for installation of MySlim and Ottomillimetri shower heads flush with false ceiling



Use of inspectable and serviceable shower heads is recommended




Patented



ART €
KIT00006 65,50



A
Arrange a ceiling connection with G 1/2" M outlet in the proximity of the location of the shower head to be installed and a false ceiling at a distance from the G 1/2" M outlet between 135 mm and 160 mm.




B
Prepare a hole of approximately Ø 150 mm in the false ceiling near the plumbing connection, screw hermetically the threaded fitting using a 24 mm wrench with hemp or similar materials.




C
Apply the provided felt pads and the protective gasket on the top surface of the shower head. Then screw the adjustment kit on the shower head by using a wrench of 24mm and 22mm.




D
Insert the shower head with adjustment kit into the hole near the threaded fitting.



E
Tighten the shower head by hand as shown in the figure.



F
When installation is complete, ensure that the shower head is perfectly stick to the false ceiling.



700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet available ³
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 484 nozzles
- 1 or 2 blade-jet waterfall
- 1 or 2 tropical waterfall
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible


ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23091X-CRX			● 2		3	2.118,00
23091X/S-CRX*	● 2		● 2		3	2.709,00
23091XN-CRX		● 2	● 2		4	2.222,00
23091XN/S-CRX*	● 2	● 2	● 2		4	2.813,00
23091XT-CRX				● 2	3	2.173,00
23091XT/S-CRX*	● 2			● 2	3	2.764,00
23091XNT-CRX		● 2		● 2	4	2.277,00
23091XNT/S-CRX*	● 2	● 2		● 2	4	2.868,00
23091XCT-CRX			● 1	● 1	3	2.146,00
23091XCT/S-CRX*	● 2		● 1	● 1	3	2.737,00
23091XNCT-CRX		● 2	● 1	● 1	4	2.250,00
23091XNCT/S-CRX*	● 2	● 2	● 1	● 1	4	2.841,00

*Components not included for chromotherapy: Switch control or remote control. See page 386


N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23091XN/W/S-CRX.
White light surcharge: for 2 spotlights add € 113,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542



- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Blade-jet waterfall
- Tropical waterfall



550 x 500

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet available ³
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 242 nozzles
- 1 or 2 blade-jet waterfall
- 1 or 2 tropical waterfall
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible


ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23092X-CRX			● 2		3	1.797,00
23092X/S-CRX*	● 2		● 2		3	2.388,00
23092XN-CRX		● 1	● 2		4	1.841,00
23092XN/S-CRX*	● 2	● 1	● 2		4	2.432,00
23092XT-CRX				● 2	3	1.852,00
23092XT/S-CRX*	● 2			● 2	3	2.443,00
23092XNT-CRX		● 1		● 2	4	1.896,00
23092XNT/S-CRX*	● 2	● 1		● 2	4	2.487,00
23092XCT-CRX			● 1	● 1	3	1.825,00
23092XCT/S-CRX*	● 2		● 1	● 1	3	2.416,00
23092XNCT-CRX		● 1	● 1	● 1	4	1.868,00
23092XNCT/S-CRX*	● 2	● 1	● 1	● 1	4	2.459,00

*Components not included for chromotherapy: Switch control or remote control. See page 386


N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23092XN/W/S-CRX.
White light surcharge: for 2 spotlights add € 113,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
See details page 548
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542



- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Blade-jet waterfall
- Tropical waterfall



600 x 300

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet available ³
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 242 nozzles
- Blade-jet waterfall
- Tropical waterfall
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR not feasible



ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23093X-CRX			● 1		2	1.268,00
23093X/S-CRX*	● 1		● 1		2	1.749,00
23093XN-CRX		● 1	● 1		3	1.311,00
23093XN/S-CRX*	● 1	● 1	● 1		3	1.793,00
23093XT-CRX				● 1	2	1.295,00
23093XT/S-CRX*	● 1			● 1	2	1.776,00
23093XNT-CRX		● 1		● 1	3	1.339,00
23093XNT/S-CRX*	● 1	● 1		● 1	3	1.820,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23093XN/W/S-CRX.
White light surcharge: for 1 spotlight add € 88,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542



450 x 300

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 121 nozzles
- Blade-jet waterfall
- Tropical waterfall
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1



ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23094X-CRX			● 1		2	1.067,00
23094X/S-CRX*	● 1		● 1		2	1.549,00
23094XN-CRX		● 1	● 1		3	1.111,00
23094XN/S-CRX*	● 1	● 1	● 1		3	1.592,00
23094XT-CRX				● 1	2	1.095,00
23094XT/S-CRX*	● 1			● 1	2	1.576,00
23094XNT-CRX		● 1		● 1	3	1.139,00
23094XNT/S-CRX*	● 1	● 1		● 1	3	1.620,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23094XN/W/S-CRX.
White light surcharge: for 1 spotlight add € 88,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542





700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome







Features:

- Rain with 484 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet ⁵
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23070X-CRX			● 2	3	2.221,00
23070X/S-CRX*	● 2		● 2	3	2.920,00
23070XN-CRX		● 2	● 2	4	2.397,00
23070XN/S-CRX*	● 2	● 2	● 2	4	3.113,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23070XN/W/S-CRX.
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546

- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Single waterfall



550 x 500

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome







Features:

- Rain with 242 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet ⁵
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23075X-CRX			● 2	3	1.926,00
23075X/S-CRX*	● 2		● 2	3	2.615,00
23075XN-CRX		● 1	● 2	4	2.005,00
23075XN/S-CRX*	● 2	● 1	● 2	4	2.705,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23075XN/W/S-CRX.
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546

- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Single waterfall



600 x 300

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome



Features:

- Rain with 242 nozzles
- Inspectable and serviceable waterfall with adjustable jet ⁵
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23073X-CRX			● 1	2	1.334,00
23073X/S-CRX*	● 1		● 1	2	1.893,00
23073XN-CRX		● 1	● 1	3	1.411,00
23073XN/S-CRX*	● 1	● 1	● 1	3	1.975,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23073XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546

- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Single waterfall



450 x 300



- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:

- Rain with 121 nozzles
- Inspectable and serviceable waterfall with adjustable jet ⁴
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23079X-CRX			● 1	2	1.163,00
23079X/S-CRX*	● 1		● 1	2	1.716,00
23079XN-CRX		● 1	● 1	3	1.241,00
23079XN/S-CRX*	● 1	● 1	● 1	3	1.793,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23079XN/W/S-CRX
White light surcharge: 1 spotlight add € 88.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542
4 See details page 546

- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Single waterfall



560 x 280

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 8 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome


Features:

- Rain with 242 nozzles
- Central Kneipp, 1 jet
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR not feasible



ART	CHROMOTHERAPY	ATOMIZERS	KNEIPP	No. WAYS	€
23090XKN-CRX		● 2	● 1	3	1.158,00
23090XKN/S-CRX	● 2	● 2	● 1	3	1.778,00

*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23090XKN/W/S-CRX
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542

- Anti-liming
- Chromotherapy
- Rain
- Atomizers
- Kneipp



500 x 300

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 8 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome


Features:

- Rain with 242 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE not feasible



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23080X/S-CRX*	● 2		1	1.558,00
23080XN-CRX		● 2	2	1.043,00
23080XN/S-CRX*	● 1	● 1	2	1.509,00


*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23080XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price;
2 spotlights add € 113.00 to list price.


For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542

- Anti-liming
- Chromotherapy
- Rain
- Atomizers



610 x 610

- Inspectable and serviceable
- 5 replaceable cartridges¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar²
- Version with ECO rain jet³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit⁴
- Chrome




Features:

- Central rain + perimeter rain with 605 nozzles
- Misting, 4 jets
- Chromotherapy, 4 RGB LED spotlights

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23054X-CRX			2	1.669,00
23052X/S-CRX*	● 4		2	2.711,00
23054XN-CRX		● 4	3	1.969,00
23052XN/S-CRX*	● 4	● 4	3	3.034,00


*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23052XN/W/S-CRX
White light surcharge: 4 spotlights add € 193,00 to the price


For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542

- Anti-liming
- Chromotherapy
- Perimeter rain
- Central rain
- Atomizers



490 x 490

- Inspectable and serviceable
- 4 replaceable cartridges¹
- Minimum flow rate standard version 16 l/min
- Pressure limiter at 1 bar²
- Version with ECO rain jet³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit⁴
- Chrome




Features:

- Rain with 484 nozzles
- Misting, 2 jets
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23057X/S-CRX*	● 1		1	1.666,00
23057XN-CRX		● 2	2	1.285,00
23057XN/S-CRX*	● 1	● 2	2	1.840,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23057XN/W/S-CRX
White light surcharge: 1 spotlight add € 88,00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542

- Anti-liming
- Chromotherapy
- Rain
- Atomizers



- 340 x 340**
- Inspectable and serviceable
 - 1 replaceable cartridge ¹
 - Minimum flow rate 5 l/min
 - Pressure limiter at 1 bar ²
 - Easy-clean system, anti-liming silicone nozzles
 - Recommended optional safety kit ³
 - Chrome

- Features:**
- Rain with 121 nozzles
 - Misting, 1 or 2 jets
 - Chromotherapy, 1 or 2 RGB LED spotlights

AVAILABLE FINISHINGS

MODERN	1
CLASSIC	1
PVD	1



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23064X/S-CRX*	● 2		1	1.167,00
23064XN-CRX		● 2	2	651,00
23064XN/S-CRX*	● 1	● 1	2	1.122,00

*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23064XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price;
2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542



- 690 x 280**
- Inspectable and serviceable
 - 3 replaceable cartridges ¹
 - Minimum flow rate standard version 12 l/min
 - Pressure limiter at 1 bar ²
 - Version with ECO rain jet ³ available
 - Easy-clean system, anti-liming silicone nozzles
 - Recommended optional safety kit ⁴
 - Chrome

- Features:**
- Rain with 363 nozzles


AVAILABLE FINISHINGS

MODERN	1
CLASSIC	1
PVD	1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23003X-CRX				1	889,00

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542



- 500 x 300**
- Inspectable and serviceable
 - 2 replaceable cartridges ¹
 - Minimum flow rate standard version 8 l/min
 - Pressure limiter at 1 bar ²
 - Version with ECO rain jet ³ available
 - Easy-clean system, anti-liming silicone nozzles
 - Recommended optional safety kit ⁴
 - Chrome

- Features:**
- Rain with 242 nozzles


AVAILABLE FINISHINGS


MODERN	1
CLASSIC	1
PVD	1

Warning! Finishes CRNE not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23080X-CRX				1	857,00

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542





455 x 455

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Installation with frame
- Recommended optional safety kit ⁴
- Brass
- Chrome

Features:

- Rain with 484 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23002-CR				1	1.121,00

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



320 x 320

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:

- Rain with 121 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23004X-CRX				1	340,00


For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 542



410 x 410

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 484 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23008X-CRX				1	822,00

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



240 x 240

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Funzioni:

- Rain with 121 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23009X-CRX				1	293,00

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 542



- Ø 500
- Inspectable and serviceable
 - Minimum flow rate 10 l/min
 - Flow limiter at 22/23 l
 - Easy-clean system, anti-liming silicone nozzles
 - Chrome



- Ø 340
- Inspectable and serviceable
 - 1 replaceable cartridge ¹
 - Minimum flow rate 5 l/min
 - Flow limiter at 1 bar ²
 - Easy-clean system, anti-liming silicone nozzles
 - Recommended optional safety kit ³
 - Chrome



- Features:
- Rain with 198 nozzles
 - Misting, 2 jets
 - Chromotherapy, 2 RGB LED spotlights



- Features:
- Rain with 198 nozzles
 - Misting, 1 or 2 jets
 - Chromotherapy, 1 or 2 RGB LED spotlights


AVAILABLE FINISHINGS

- MODERN 1
CLASSIC 1
PVD 1

Warning! Finishes CRNE, OROS not feasible

AVAILABLE FINISHINGS

- MODERN 1
CLASSIC 1
PVD 1



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23066X/S-CRX*	● 2		1	1.678,00
23066XN-CRX		● 2	2	1.158,00
23066XN/S-CRX*	● 2	● 2	2	1.844,00


*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights
and white light by adding W to article code.

EX: 23066XN/W/S-CRX
White light surcharge: 2 spotlights add € 113.00 to list price.



For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556




ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23068X/S-CRX*	● 2		1	1.149,00
23068XN-CRX		● 2	2	619,00
23068XN/S-CRX*	● 1	● 1	2	1.099,00

*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights
and white light by adding W to article code.

EX: 23068XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price;
2 spotlights add € 113.00 to list price.



For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542



Ø 560

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate 20 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:

- Rain with 484 nozzles


AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23082X-CRX				1	1.028,00

For finishing surcharge, see table on the inside cover of the catalogue
 See installation heights page 556
 1 See details page 540
 2 See details page 542
 3 See details page 542



Anti-liming



Rain



Ø 300

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:


- Rain with 121 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23081X-CRX				1	362,00

For finishing surcharge, see table on the inside cover of the catalogue
 See installation heights page 556
 1 See details page 540
 2 See details page 542
 3 See details page 542



Anti-liming



Rain



Ø 340

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:


- Rain with 121 nozzles

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23068X-CRX				1	428,00

For finishing surcharge, see table on the inside cover of the catalogue
 See installation heights page 556
 1 See details page 540
 2 See details page 542
 3 See details page 542



Anti-liming



Rain



700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome




550 x 500

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome



Concealed Shower Heads



Features:



- Rain with 484 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet ⁵
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights



AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23071X-CRX			● 2	3	2.389,00
23071X/S-CRX*	● 2		● 2	3	3.134,00
23071XN-CRX		● 2	● 2	4	2.577,00
23071XN/S-CRX*	● 2	● 2	● 2	4	3.296,00

*Components not included for chromotherapy: Switch control or remote control. See page 386


N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23071XN/W/S-CRX.
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546




Concealed Shower Heads



Features:



- Rain with 242 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet ⁵
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights



AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23076X-CRX			● 2	3	2.087,00
23076X/S-CRX*	● 2		● 2	3	2.877,00
23076XN-CRX		● 1	● 2	4	2.205,00
23076XN/S-CRX*	● 2	● 1	● 2	4	2.942,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23076XN/W/S-CRX.
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546





700 x 400

- Inspectable and serviceable
- 2 replaceable cartridges ¹
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome



Features:

- Rain with 242 nozzles
- 1 inspectable and serviceable waterfall with adjustable jet ⁵
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23072X-CRX			● 1	2	1.528,00
23072X/S-CRX*	● 1		● 1	2	2.128,00
23072XN-CRX		● 1	● 1	3	1.613,00
23072XN/S-CRX*	● 1	● 1	● 1	3	2.192,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23072XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542
5 See details page 546

-  Anti-liming
-  Chromotherapy
-  Rain
-  Atomizers
-  Single waterfall



500 x 400

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 10 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome




Features:

- Rain with 121 nozzles
- Inspectable and serviceable waterfall with adjustable jet ⁴
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

AVAILABLE FINISHINGS

- MODERN 1
- CLASSIC 1
- PVD 1

Warning! Finish CRNE not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23078X-CRX			● 1	2	1.313,00
23078X/S-CRX*	● 1		● 1	2	1.912,00
23078XN-CRX		● 1	● 1	3	1.398,00
23078XN/S-CRX*	● 1	● 1	● 1	3	1.996,00

*Components not included for chromotherapy: Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23079XN/W/S-CRX.
White light surcharge: 1 spotlight add € 88.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542
4 See details page 546

-  Anti-liming
-  Chromotherapy
-  Rain
-  Atomizers
-  Single waterfall



400 x 300

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:

- Rain with 121 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

AVAILABLE FINISHINGS

MODERN	1
CLASSIC	1
PVD	1


ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23077X/S-CRX*	● 2		1	1.225,00
23077XN-CRX		● 2	2	709,00
23077XN/S-CRX*	● 1	● 1	2	1.174,00

*Components not included for chromotherapy:
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights
and white light by adding W to article code.

EX: 23077XN/S-CRX.
White light surcharge: 2 spotlights add € 113.00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542



550 x 550

- Inspectable and serviceable
- 4 replaceable cartridges ¹
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar ²
- Version with ECO rain jet ³ available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ⁴
- Chrome

Features:

- Rain with 484 nozzles



ART	CHROMO-THERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23074X-CRX				1	1.219,00

AVAILABLE FINISHINGS

MODERN	1
CLASSIC	1
PVD	1

Warning! Finishes CRNE, VR, OROS not feasible

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 541
4 See details page 542



400 x 300

- Inspectable and serviceable
- 1 replaceable cartridge ¹
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar ²
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit ³
- Chrome

Features:


- Rain with 121 nozzles

ART	CHROMO-THERAPY	ATOMIZERS	WATER-FALLS	No. WAYS	€
23077X-CRX				1	507,00

AVAILABLE FINISHINGS

MODERN	1
CLASSIC	1
PVD	1


For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 556
1 See details page 540
2 See details page 542
3 See details page 542





Optional & Wellness

OPTIONAL



DUPLEX
P. 370

WELLNESS



WATERFALLS
P. 378



BODY-JET
P. 380



ATOMIZERS
P. 382




AROMATHERAPY
P. 383



MUSIC THERAPY
P. 384



CHROMOTHERAPY
P. 385



CONTROLS
P. 386

OPTIONAL

DUPLEX

from page 370



WELLNESS

WATERFALLS

from page 378



BODY-JET

from page 380



ATOMIZERS

from page 382




AROMATHERAPY - MUSIC THERAPY - CHROMOTHERAPY

from page 383



CONTROLS

from page 386




ART. 66710-CR shower brass € 238,00



Select

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 65290-CR shower brass € 117,00



Still-Oh


- 1 jet, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 66545-CR shower brass € 168,00
ART. 65545-CR shower ABS € 130,00

PN



Square

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue
Finishings only available for brass version
PN See legend on page 10




ART. 65272-CR shower brass € 237,00



Stilo 4


- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 65645E-CR shower ABS € 86,00

PN



Square Contract

- 1 jet, anti-liming, inspectable and serviceable, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm ECO
- Chrome



AVAILABLE FINISHINGS

-

PN See legend on page 10




ART. 66272-CR/NE shower brass € 231,00



Stilo 4 Black

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle in matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 65283-CR shower brass € 184,00



Stilo


- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 66172-CR/NE shower brass € 141,00
ART. 65172-CR/NE shower ABS € 135,00



Stick 4 Black


- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue
Finishings only available for brass version




ART. 66283-CR/NE shower brass € 177,00



Stilo Black

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue




ART. 66181-CR shower and rosette in brass ¹ € 85,00
ART. 66183-CR shower brass € 85,00
ART. 65183-CR shower ABS € 75,00

PN



Stick


- 1 jet shower abs, anti-liming, inspectable and serviceable
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue
Finishings only available for brass version
¹ Recommended for classic finishes
PN See legend on page 10




ART. 66171-CR shower brass € 140,00
ART. 65171-CR shower ABS € 130,00

PN



Stick 4

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue
Finishings only available for brass version
PN See legend on page 10




ART. 66183-CR/NE shower brass € 80,00
ART. 65183-CR/NE shower ABS € 73,00



Stick Black


- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue
Finishings only available for brass version



ART. 65460-CR shower ABS € 143,00

PN




Nova

- Shower abs 3 jets, Anti-liming, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

AVAILABLE FINISHINGS

-

PN See legend on page 10



ART. 65291-CR shower brass € 141,00




Still Colonial

- 1 jet, anti-liming, inspectable and serviceable, brass
- Brass handle
- Wall outlet with holder
- Fitting G 1/2"
- Brass flexible hose with double interlock 150 cm hexagonal/conical
- Chrome

AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue



ART. 65561-CR shower ABS € 81,00

PN




Nova 3

- Shower abs 3 jets, Anti-liming, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

AVAILABLE FINISHINGS

-

PN See legend on page 10



ART. 65292-CR shower brass € 149,00




Colonial 2.0

- 1 jet, anti-liming, inspectable and serviceable, brass
- Brass handle
- Wall outlet with holder
- Fitting G 1/2"
- Brass flexible hose with double interlock 150 cm hexagonal/conical
- Chrome

AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue



ART. 64511RES-CR shower brass € 131,00




Colonial


- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle white resin
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

AVAILABLE FINISHINGS

- MODERN 8
- CLASSIC 8
- PVD 6

For finishing surcharge, see table on the inside cover of the catalogue





WELLNESS

378	WATERFALLS
380	BODY-JET
382	ATOMIZERS
383	AROMATHERAPY
384	MUSIC THERAPY
385	CHROMOTHERAPY
386	CONTROLS

ART. 26110-CR € 426,00

PN




Oh! New

- Wall-mounted waterfall
- Inspectable and serviceable cartridge¹
- Jet adjustable to the operating pressure¹
- Minimum flow rate 12 l/m
- Chrome

AVAILABLE FINISHINGS

- MODERN 7
- CLASSIC 7
- PVD 7

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 563
1 See details page 546
PN See legend on page 10



The waterfall can be installed without plate.

ART. 26114-CR € 387,00

PN




Minimal Quadra

- Concealed waterfall flush with wall¹
- Minimum flow rate 10 l/m
- Chrome

AVAILABLE FINISHINGS

- MODERN 7
- CLASSIC 7
- PVD 7

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 562
1 Prepare concealed housing
PN See legend on page 10



ART. 26190-CR € 426,00

PN




Oh! Minimal

- Wall-mounted waterfall
- Inspectable and serviceable cartridge¹
- Jet adjustable to the operating pressure²
- Minimum flow rate 12 l/m
- Chrome

AVAILABLE FINISHINGS

- MODERN 7
- CLASSIC 7
- PVD 7

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 563
1 See details page 546
PN See legend on page 10



The waterfall can be installed without plate.

ART. 26194-CR € 387,00

PN




Minimal Tonda

- Concealed waterfall flush with wall¹
- Minimum flow rate 10 l/m
- Chrome

AVAILABLE FINISHINGS

- MODERN 7
- CLASSIC 7
- PVD 7

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 562
1 Prepare concealed housing
PN See legend on page 10



ART. 26410-CR € 428,00

PN




Oh! Colonial

- Wall-mounted waterfall
- Inspectable and serviceable cartridge¹
- Jet adjustable to the operating pressure²
- Minimum flow rate 12 l/m
- Chrome

AVAILABLE FINISHINGS

- MODERN 7
- CLASSIC 7
- PVD 7

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 563
1 See details page 546
PN See legend on page 10



The waterfall can be installed without plate.

ART. 26115X € 707,00




Wall-mounted tub spout

- Waterfall flow spout
- Spout center distance 137 mm
- Inlets G 1/2"
- Flow limiter 15 l/min
- Polished stainless steel

AVAILABLE FINISHINGS

- NEOP/BIOP € 954,00
- SPZ € 831,00




ART. 26116X € 640,00

**Deck-mounted tub spout**

- Waterfall flow spout
- Spout center distance 111 mm
- Inlets G 1/2"
- Flow limiter 15 l/min
- Polished stainless steel

AVAILABLE FINISHINGS
NEOP/BIOP € 1.038,00
SPZ € 752,00





ART. 24960-CR € 140,00

**Body-jet Quadro**

- Concealed ¹
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/m
- Chrome

AVAILABLE FINISHINGS
MODERN 9
CLASSIC 9
PVD 9

For finishing surcharge, see table on the inside cover
of the catalogue
See installation heights page 564
1 Prepare concealed housing





ART. 24980-CR € 112,00

**Body-jet Colonial**


- Concealed ¹
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/m
- Chrome

AVAILABLE FINISHINGS
MODERN 9
CLASSIC 9
PVD 9

For finishing surcharge, see table on the inside cover
of the catalogue
See installation heights page 564
1 Prepare concealed housing




ART. 27100-CR € 49,00

**Body-jet Cilindrico**

- External
- Orientable
- Hydromassage jet
- Minimum flow rate 4,5 l/m
- Chrome

AVAILABLE FINISHINGS
MODERN 9
CLASSIC 9

For finishing surcharge, see table on the inside cover
of the catalogue





ART. 24970-CR € 96,00

**Body-jet Tondo**

- Concealed ¹
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/m
- Chrome

AVAILABLE FINISHINGS
MODERN 9
CLASSIC 9
PVD 9

For finishing surcharge, see table on the inside cover
of the catalogue
See installation heights page 564
1 Prepare concealed housing




ART. 24950-CR € 101,00

**Body-jet Sferico**

- External
- Orientable
- Hydromassage jet
- Minimum flow rate 4,5 l/m
- Chrome

AVAILABLE FINISHINGS
MODERN 9
CLASSIC 9


For finishing surcharge, see table on the inside cover
of the catalogue



ART. 24931-CR € 157,00

**Atomizer Quadro**



- Concealed ¹
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome



AVAILABLE FINISHINGS

- MODERN 9
CLASSIC 9
PVD 9


For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 565
1 Prepare concealed housing



ART. 24938-CR € 123,00

**Atomizer Tondo**


- Concealed ¹
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome



AVAILABLE FINISHINGS

- MODERN 9
CLASSIC 9
PVD 9


For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 565
1 Prepare concealed housing



ART. 24934-CR € 98,00

**Atomizer Colonial**


- Concealed ¹
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome



AVAILABLE FINISHINGS

- MODERN 9
CLASSIC 9
PVD 9

For finishing surcharge, see table on the inside cover of the catalogue
See installation heights page 565
1 Prepare concealed housing




ART. 0A110

€ 750,00

**Scented Water System**

- Dosing pump including injector, tube kit and wall-mounting plate
- Control unit ¹
- Empty 2l tank



1 Articles not included:
Switch control see page 386
See details page 547



- ART. 0A110E Eucalyptus € 208,00
ART. 0A110M Maracuja € 208,00
ART. 0A110A Orange € 208,00
ART. 0A110MF Cold Mint € 208,00

Essences tank 5 l


- Eucalyptus
- Maracuja
- Orange
- Cold Mint



ART. 0A003-CR € 787,00

**Audio System**

- Bluetooth receiver for playing music files from an external source (not included)
- Control unit ¹
- 2 high-performance stereo speakers 2 watts each
- 2 cosmetic brass plates

**AVAILABLE FINISHINGS**

MODERN	10
CLASSIC	9
PVD	9

¹ Articles not included:
Switch control or remote control. See page 386
See details page 549

ART. ART. 0C002-CR 2 LEDs € 633,00
 ART. ART. 0C004-CR 4 LEDs € 998,00
 ART. ART. 0C006-CR 6 LEDs € 1.300,00
 ART. ART. 0C008-CR 8 LEDs € 1.602,00

**Chromotherapy / White light**

- LEDs with chromotherapy function and built-in 110 lm white light
- Control unit ¹
- Connection cables
- Ideal for false ceilings or plasterboard islands

¹ Articles not included:
Switch control or remote control. See page 386

SPARE PARTS**Spare parts and individual articles available on request**

- LEDs
- Connection cables
- Control units

CARIMALI offers a chromotherapy system able to recreate a real beam of light that shrouds the entire body and illuminates the surrounding walls, by giving a sensation of real psychophysical wellness.

The chromotherapy kit is suitable for both false ceilings and plasterboard islands.

The LEDs are equipped with various features:

chromotherapy and white light for illumination (110 lm included) that could be turned on by switch control or remote control. The kit could also be directly connected to any standard light switch or home automation systems.

BENEFITS

1. The LEDs in the kit include a number of features: the same LED provides both a cycle of chromotherapy colours and white light for illumination. This makes it possible to replace the entire bathroom lighting and extend the colour therapy to the whole area.
2. The LEDs' Lumen/Watt ratio (brightness) is among the highest present on the market – for the same power consumption, CARIMALI design shower_space LEDs have a superior brightness.
3. The LED light source is manufactured in South Korea, which guarantees the best technology currently available on the market.
4. LED life of up to 60.000 hours is guaranteed. The optimisation of the heat-loss system avoids any overheat and therefore ensures a highest useful life.
5. The coupling between the primary and secondary LED lens is optimised to favour the maximum lumen output towards the area of use.
6. Waterproof system: perfect waterproof and steam resistance.
7. Kit supplied pre-wired and ready for installation. The connection cables in the kit are supplied with connectors and pre-wiring. To install, simply connect the components according to the instructions provided with no further connections or modifications being required by the installer.

TECHNICAL SPECIFICATIONS

Chrome-plated brass spotlights.
 Spotlight with cable L=30cm and 5-way M8 female connector
 O-ring gaskets on both front and bottom
 4W RGBW light source

Light beam width: 30°
 Edison Opto LED, KATHOD optic
 85-264 V 47 Hz electrical connection
 Recommended 1 LED per square metre

ART. 0P001-CR € 179,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 1 button with 3 m connection cable
- 1 cosmetic brass plate

AVAILABLE FINISHINGS

MODERN	10
CLASSIC	9
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue



ART. 0P002-CR € 268,00

ART. 0P004-CR chromotherapy/white light € 268,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 2 buttons with 3 m connection cable
- 1 cosmetic brass plate

AVAILABLE FINISHINGS

MODERN	10
CLASSIC	9
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue



ART. 0P003-CR € 335,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 3 buttons with 3 m connection cable
- 1 cosmetic brass plate

AVAILABLE FINISHINGS

MODERN	10
CLASSIC	9
PVD	9


For finishing surcharge, see table on the inside cover of the catalogue




ART. 0TLC003 € 251,00 *

**Remote control**

- Multifunction remote control with chromotherapy and white light control, audio device on/off and aromatherapy
- Bluetooth system
- Receiver included
- Waterproof IP65 ¹
- Compatible with shower heads and wellness systems paired with switch control
- Wall holder included



¹ Resistant to water splashes but not complete immersion



The evolution of the bathroom as an intimate place in which to express one's interiority and creativity.

We offer complete and customisable wellness solutions for any environment, whether domestic to transform the bathroom into a refuge of well-being and relaxation, or professional to enrich the proposal of wellness centres and accommodation facilities, offering a complete multi-sensory experience in a perfect combination between of functionality and emotion.

We conceive, design and realise tailor-made projects that respond to any specific need and desire of our customers, designing together the best solution.

MYDREAM / CONCEALED MULTIFUNCTIONAL SHOWER HEADS IN SERIES

Evocative emotional settings in sequence



MYDREAM / CONCEALED MULTIFUNCTIONAL SHOWER HEAD

Relaxation, magic and amazement all in one solution

With our multifunctional shower heads, the bathroom becomes a place of pleasure and relaxation, a place where you can nourish your psychophysical well-being and rediscover your intimacy.

The collection propose different styles to satisfy every need and complete all types of environment.

Among its functions, it is possible to select the water effect between rain, single waterfall, double waterfall, mist, tropical waterfall and Kneipp for a feeling of complete relaxation.

Equipped with LED spotlights for chromotherapy, you can choose the colour gradation of the spotlight or let yourself be enveloped by the coloured path for a true immersion in physical and mental well-being.

A rainbow of exciting colours and water in its various forms combine their benefits to create a pleasant multi-sensory experience.

Colours, water and lights can be selected manually during the shower, or set for an automatic cycle.

Several showerheads in series (single- and/ or multi-jet) controlled by a start button or with touch control and electronic faucet.

Sensorial showers are an indispensable addition to the wellness area and home spa today. Wellness pathways create magical settings by combining light effects, water effects and fragrances. The most sophisticated technologies converge in the shower paths for a unique and unforgettable wellness experience. Depending on the level of interaction accorded to the user, there are two levels of design of the wellness path.


Level 1: Wellness path that consists of starting the path through an on/off push-button panel and the use of an electronic control unit that automatizes the activation in sequence of the different water jets with preset temperature, duration, chromotherapy and aromatherapy.

Level 2: Wellness path using a touch control with an electronic faucet, offering maximum interaction to the user who can independently manage water jets, temperature, duration, up to the setting of chromotherapy and aromatherapy.

Shower heads New MyDream

Shower heads New MyDream

ref. 23091XNCT/S-CRX
dim. 700x500



Shower heads New MyDream

ref. 23093XN/S-CRX
dim. 600x300



Shower heads New MyDream

ref. 23092XNCT/S-CRX
dim. 550x500



Shower heads New MyDream

ref. 23094XNT/S-CRX
dim. 450x300

Switch control

ref. 0P001-CR



Wall-mounted cascade

ref. 26110-CR



Body-jet

ref. 24960-CR



Audio system

Body, mind and soul cuddled and surrounded by water and gentle musical notes thanks to music playback via Bluetooth with two high-performance stereo speakers of 2 watts each.



Aromatherapy

To fully experience the pleasure of being enveloped by the scents diffused by the aromatised water that evoke memories and awaken the senses, giving a sensation of total relaxation.



Body-jet

Body-jets (available in square, round and colonial versions), small shower jets to be installed on the front or side walls of the shower enclosure, are able to massage the body gently with lateral jets of water and provide a unique sensation of well-being.

MODERN



CR

CHROME
- GALVANIC NICKEL-PLATING
- GALVANIC CHROME-PLATING



NKLU

POLISHED NICKEL
- GALVANIC NICKEL-PLATING



STN

BRUSHED NICKEL
- GALVANIC NICKEL-PLATING
- BRUSHING



NKSP

BRUSHED NICKEL
- GALVANIC NICKEL-PLATING
- BRUSHING
- PROTECTIVE GLOSSY VARNISH



NKSPOP

MATT BRUSHED NICKEL
- GALVANIC NICKEL-PLATING
- BRUSHING
- PROTECTIVE MATT VARNISH



SPZ

BRUSHED STEEL
- BRUSHING OF STEEL



CRSP

BRUSHED CHROME
- GALVANIC NICKEL-PLATING
- BRUSHING
- GALVANIC CHROME-PLATING



NEOP

MATT BLACK
- VARNISHING TREATMENT



BIOP

MATT WHITE
- VARNISHING TREATMENT



CRNE

BLACK CHROME
- GALVANIC BLACK CHROME-PLATING TREATMENT



OROS

ROSE GOLD
- GALVANIC ROSE GOLD GILDING



BRD

BEIGE RED Ral 3012
-VARNISHING TREATMENT



PBL

PASTEL BLU Ral 5024
-VARNISHING TREATMENT



PTQ

PASTEL TURQUOISE Ral 6034
-VARNISHING TREATMENT



VBL

VIOLET BLU Ral 5000
-VARNISHING TREATMENT

CLASSIC



VO

ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE GLOSSY VARNISH



VOM

MEDIUM ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE GLOSSY VARNISH



VOS

DARK ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE GLOSSY VARNISH



VOOP

MATT ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE MATT VARNISH




VOMOP

MATT MEDIUM ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE MATT VARNISH



VOSOP

DARK MATT ANTIQUE BRASS
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE MATT VARNISH



VR

ANTIQUE COPPER
- GALVANIC TREATMENT
- BRUSHING
- PROTECTIVE GLOSSY VARNISH



OR

24K GOLD
- 24 K THICK GOLD GILDING



ORSP

BRUSHED GOLD
- GALVANIC GILDING
- BRUSHING



ORIGI

ENGLISH GOLD
- GALVANIC GOLD GILDING



GL

NATURAL POLISHED BRASS
- POLISHED BRASS



DBM

DARK BRONZE MATT
- GALVANIC TREATMENT
- PROTECTIVE MATT VARNISH

Finisings

Finisings

PVD



COPPER BRONZE
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED COPPER BRONZE
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



ROSE GOLD
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED ROSE GOLD
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



GOLD
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED GOLD
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



CHAMPAGNE
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED CHAMPAGNE
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



POLISH
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED POLISH
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



GUN METAL
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED GUN METAL
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BLACK METAL
 - GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



BRUSHED BLACK METAL
 - GALVANIC NICKEL-PLATING
 - BRUSHING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



MATT GUN METAL
 - SATIN GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



MATT COPPER BRONZE
 - SATIN GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT



MATT CHAMPAGNE
 - SATIN GALVANIC NICKEL-PLATING
 - GALVANIC CHROME-PLATING
 - PVD TREATMENT

PVD - BENEFITS

Physical Vapour Deposition, often abbreviated to PVD, is a method for coating all types of materials with very strong adhesion properties and thin film layering. The PVD treatment, which is also used in the aerospace and biomedical industries, is non-toxic, biocompatible and provides a wide range of colour variations.

ORDERS

By placing an order the Customer accepts in full our sale conditions as listed here.
Orders are valid only if they are duly confirmed by Calflex srl.

PRICING

The PRICES in this PRICE list do not include VAT.
The seller reserves the right to update prices, **general conditions of sale and the products themselves (by making changes to articles and/or finishings or even eliminating the model itself from this price list) at any time and at its sole discretion without any obligation to give prior notice.**

TERMS OF DELIVERY

The terms of delivery indicated by us are always approximate and never binding **for the seller.**

They shall not entitle the customer to cancel the order or **suspend/delay payments**, and the **seller** shall not be liable in any way for any direct or indirect damage that may arise from the delayed or non-delivery of all or part of the order. The purchaser shall be obliged to take delivery of the products even in the case of partial deliveries or if delivered before or after the agreed date.

Under no circumstances may the purchaser claim compensation or indemnity of any kind. This includes major delays caused by natural disasters, riots, strikes, fires or other unforeseeable events.

SHIPMENT

Shipping shall be carried out in the manner deemed most appropriate by the seller. Upon delivery, the customer shall be obliged to check the ordered material and make a claim directly to the carrier in the event of tampering with, or damage to, the packaging.

PAYMENTS

Payments shall be made punctually directly to the seller's domicile. After the agreed deadlines, interest on arrears shall be charged.

It should be noted that late payment entitles the seller to suspend, without prior notice, any ongoing supply. Items shall remain the property of the seller until the PRICE has been paid in full.

RETURNS

Goods are always returned ex works and accompanied by our return authorisation number.

The same, even if provided free at destination or in any other special condition, shall travel at the risk and peril of the client, who shall also be responsible for the costs of claims or actions of any kind against the carrier.

IMAGES

All images and illustrations in the PRICE lists, catalogues and brochures are illustrative, do not constitute an obligation of faithful rendering, and are subject to change.
The company reserves the right to make technical and cosmetic changes or modify or delete individual items or complete series without prior notice.

JURISDICTION

In case of disputes Verbania court (Italy) is the only competent court to settle any controversies.

CLAIMS

Any complaints shall be **communicated** in writing within 8 days of receipt of the goods and be accompanied by a **detailed description of the defect and accompanied by videos/photos, warranty and receipt/invoice.**

Please note that our liability shall be limited to the mere replacement of defective components and items found to be defective.

Any and all liability for damage caused to persons or property as a result of the defective items referred to above shall therefore be excluded. Upon replacement, the company shall be entitled to return the defective products, which become its property.

The customer may request the article to be treated as follows:

1- **REPLACEMENT**, following receipt and verification of the defective article by the seller

2- **ADVANCE REPLACEMENT with the immediate sending of the article in replacement** and subsequent verification of the defective article by the seller. In this case, defective products shall be returned strictly within 30 days from the date of the transport document of the material received in advance, otherwise the supplied material shall be invoiced without prior notice.

Material returned from early replacement shall be verified by our technical department.

In the event of damage, defects not covered by the warranty, unsuitable packaging, wear and tear, neglect, lack of maintenance, etc., the material already supplied as a replacement shall be invoiced.

GENERAL CONDITIONS

By issuing the order, the customer unconditionally accepts the above clauses.

Statements, promises and guarantees made by employees, agents and collaborators that differ from the conditions agreed upon or included in our PRICE lists shall only become binding and enforceable after they have been confirmed in writing by the company management.

The customer is responsible for all identification data provided to the seller such as company name - registered office - tax code - VAT number and all others specifically required by current legislation.

Customer data, according to Law 675 / 95, shall be kept and processed for the fulfilment of legal obligations. Any other use must be explicitly accepted by the customer.

To prevent dirt or debris from entering the product and causing operational issues, always purge the system before connecting supply pipes.

It is also advisable to install an appropriate filter at the inlet to the system.

To prevent liming from clogging the diffuser, we recommend regularly rubbing the silicone nozzles to free them from liming and to keep the diffuser clean, and regularly cleaning the aerator filter to remove liming.

CLEANING

To clean metal parts: use a damp cloth with neutral soap, rinse and dry to avoid liming residue. Important: only neutral, soap-based detergents should be used. Do not use abrasive cleaners or disinfectants or those containing alcohol, hydrochloric or phosphoric acid, bleach, chlorine or any other substance.

WARRANTY

Dear Customer, thank you for choosing a CALFLEX S.r.l. product.

The article you have purchased has been manufactured and tested in our production unit located in Z.I. 5/bis, 28891 Nonio (VB), Italy, in compliance with the quality standards laid down in regulations: UNI EN ISO 9001-2015

The warranty period against manufacturing defects for CALFLEX products range is 5 years (unless otherwise stated in writing). The warranty for products with a finish different than chrome is 2 years. Parts subject to wear and tear (mixing cartridge, headworks, non-return valve etc.), after evaluation by Calflex S.r.l., are guaranteed for a period of 2 years from the date of purchase.

The guarantee does not cover damage caused by: improper installation and/or use, incorrect system design, normal wear and tear, damage caused by limescale or impurities, use of cleaning and maintenance products other than those specifically indicated in these instructions.

Furthermore, Calflex S.r.l. shall not be liable for labour costs and/or damages, even those accidental or consequential, occurring during installation, repair or replacement of the product.

Please note that the warranty on the surface of our products is not valid if the material has undergone any treatment other than that suggested by us.

Warranty claims can only be made by presenting a dated document proving the purchase of the product. The warranty only relates to manufacturing defects and only entitles the claimant to the repair or free delivery of the part acknowledged to be defective.

Calflex S.r.l. reserves the right to inspect the disputed part to assess warranty applicability.

The warranty begins on the date of purchase of the product, proven by verifiable documentation (invoice, receipt) and is not renewable.

For further information contact Calflex s.r.l. on +39 0323 889328 or the dealer in your area.

2.0

CALFLEX SRL

Zona industriale 5/bis
28891 Nonio (VB), Italy
+39 0323 88 93 28

info@carimali.it